U.S. Serial No. 10/772,794 Date: January 18, 2005

Date of Office Action: October 19, 2004

Listing of the Claims:

1. (Currently Amended) An article for protecting the edges an edge of a piece of furniture having a leg attachable to the piece of furniture by a threaded shank comprising:

a one piece unitary body for mounting over an edge of the piece of furniture;
and

attachment means <u>integrally formed with the body</u> for attaching the <u>article body</u> to a piece of furniture, the attachment means including a tab laterally extending from the <u>body</u>, the tab including an aperture adapted for receiving a threaded shank on a furniture leg, the body fixed to the piece of furniture by fixed mounting of the tab between the leg and the piece of furniture.

- 2. (Original) The article of claim 1 wherein the body is formed of a lightweight transparent material.
- 3. (Original) The article of claim 1 wherein the body has a triangular shape formed of a base and two angularly disposed sides extending from the base.
 - 4. (Original) The article of claim 3 further comprising: apertures formed in the sides for weight and material reduction.
- 5. (Original) The article of claim 3 wherein the sides are disposable at an angle adapted to be disposed over portion of two adjacent panels of a piece of furniture defining an edge.
- 6. (Original) The article of claim 3 wherein the sides are disposed at a 90° angle with respect to each other.
 - 7. Cancel
- 8. (Original) The article of claim 1 wherein the body comprising. first and second angularly disposed legs, each having a substantially planar shape.

U.S. Serial No. 10/772,794 Date: January 18, 2005

Date of Office Action: October 19, 2004

- 9. (Original) The article of claim 8 further comprising: apertures formed in the first leg for weight and material reduction.
- 10. (Original) The article of claim 8 wherein the legs are disposed at an angle to be mounted on a horizontally extending edge of one panel of a piece of furniture.
- 11. (Original) The article of claim 8 wherein the first and second legs are disposed at a 90° angle.
- 12. (Currently Amended) The article of claim 8 wherein the attaching attachment means <u>further</u> comprises:

at least one aperture formed in one of the first and second legs for receiving at least one fastener for mounting the body to a piece of furniture.

- 13. (Currently Amended) An article of furniture comprising:
- a front panel;
- a back panel;
- a side panel;
- an interior frame supporting the front panel, the side panel and back panel,
- a plurality of legs coupled to the interior frame by a threaded shank;
- a one piece unitary edge protector body for mounting over an edge of the article

of furniture; and

attachment means <u>integrally formed with the body</u> for attaching the body to the article of furniture, the attachment means including a tab laterally extending from the body. the tab including an aperture adapted for receiving a threaded shank on a furniture leg, the body fixed to the piece of furniture by fixed mounting of the tab between the leg and the piece of furniture.

- 14. (Original) The article of claim 13 wherein each furniture leg is attached to the interior frame by a threaded shank.
- 15. (Original) The article of claim 14 wherein the attachment means comprises:

U.S. Serial No. 10/772,794 Date: January 18, 2005

Date of Office Action: October 19, 2004

an aperture in the body receiving the threaded shank of one leg to attach the body over an edge on the article of furniture.

- 16. (Original) The article of claim 15 wherein a vertically extending edge is formed between adjoining ends of the front panel, the side panel and the back panel of the article of furniture.
- 17. (Original) The article of claim 16 wherein an edge is formed on one of the front panel, the side panel and the back panel
- 18. (Original) The article of claim 13 wherein the body has a triangular shape formed of a base and two angularly disposed sides extending from the base.
- 19. (Original) The article of claim 13 wherein the body comprises: first and second angularly disposed legs, each having a substantially planar shape.